

**Corrigendum
Elevator Supply, Installation & Commissioning
Ref RFP: Package/Elevator/25_26**

Amendment / Corrigendum No.: 2

Field Name	Old Value	New Value
14. Liquidated Damages	<p>14.1 If the Contractor fails to complete the Works or any part thereof within the time specified in the Contract, the Contractor shall be liable to pay liquidated damages at the rate of 1% (one percent) of the Contract Price per week of delay, unless otherwise specified in the Contract.</p> <p>14.2 The total amount of liquidated damages shall not exceed 10% (ten percent) of the Contract Price.</p>	<p>14.1 If the Contractor fails to complete the Works or any part thereof within the time specified in the Contract, the Contractor shall be liable to pay liquidated damages at the rate of 0.1% (Zero point one percent) of the Contract Price per week of delay, unless otherwise specified in the Contract.</p> <p>14.2 The total amount of liquidated damages shall not exceed 1% (one percent) of the Contract Price.</p>
Page-22. ITA 16.1(b), ITA 16.1(c)	<p>Project Engineer, B.Sc. Engr. (Civil)</p> <p>Material Engineer, Dip-in Engr. (Civil)</p>	<p>Project Engineer, B.Sc. Engr. (Electrical/Mechanical)</p> <p>Material Engineer, Dip-in Engr. (Electrical/Mechanical)</p>
Page-22. Section 2 Sub-section 2.1, 2.2	<p>Qualification Information of the Applicant [According to ITT Clause]</p> <p>General Experience in HVAC works of Applicant.</p> <p>Specific Experience in HVAC works of Applicant.</p>	<p>Qualification Information of the Applicant [According to ITT Clause]</p> <p>General Experience in Elevators works of Applicant.</p> <p>Specific Experience in Elevators works of Applicant.</p>
Technical Specification Elevators- Page 41- 1.1 i)	<p>Dimension, Capacity & Speed:</p> <p>Lift-01: Passenger Lift, 3000mm Wide x 2044mm depth Capacity: 1800kg/24 person. Door: Center opening, 1000mm wide. 2400mm Height Car ceiling height: 2400 mm Speed: 1.50meter/sec. Pit Depth: 1500 mm Over Head: 3900 mm from last stop</p> <p>Lift-02, 03: Passenger Lift 2695mm Wide x 2044mm depth Capacity: 1600kg/21 person. Door: Center opening, 1000mm wide. 2400mm Height Car ceiling height: 2400 mm Speed: 1.50meter/sec. Pit Depth: 1500 mm Over Head: 3900 mm from last</p>	<p>Dimension, Capacity & Speed:</p> <p>Lift-01: Passenger Lift, 3020mm Wide x 2060 mm depth (Practical) Capacity: 1800kg/24 person. Door: Center opening, 1000mm wide. 2200mm Height Car ceiling height: 2400 mm Speed: 1.00 meter/sec. Pit Depth: 1500 mm Over Head: 4500 mm from last stop (Req)</p> <p>Lift-02, 03: Passenger Lift 2700mm Wide x 2150 mm depth (Practical Right) Passenger Lift 2800mm Wide x 2150 mm depth (Practical Left) Capacity: 1600kg/21 person. Door: Center opening, 1000mm wide.</p>



ASIAN UNIVERSITY
FOR WOMEN

	<p>stop</p> <p>Lift-04: Service Lift 1728mm Wide x 1650mm depth Capacity: 545kg/8 person. Door: Center opening, 1000mm wide. 2400mm Height Car ceiling height: 2400 mm Speed: 1.50meter/sec. Pit Depth: 1500 mm Over Head: 3900 mm from last stop</p>	<p>2200mm Height Car ceiling height: 2400 mm Speed: 1.00 meter/sec. Pit Depth: 1500 mm Over Head: 4500 mm from last stop (Req)</p> <p>Lift-04: Service Lift 1850mm Wide x 1480 mm depth (Practical) Capacity: 450kg/6 person. Door: Center opening, 800mm wide. 2200mm Height Car ceiling height: 2300 mm Speed: 1.00meter/sec. Pit Depth: 1500 mm Over Head: 4160 mm on Practical from last stop</p>
--	---	---



ASIAN UNIVERSITY
FOR WOMEN

	The minimum amount of liquid assets or working capital or credit facilities of the Applicant shall be greater than BDT 1.50 (one point five zero) crore on a day after publication of RFP.	The minimum amount of liquid assets or working capital or credit facilities of the Applicant shall be greater than BDT 1.00 (one) crore on a day after publication of RFP.
--	--	---